



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.   | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.  | CONFIRMATION NO. |
|---|-------------|----------------------|----------------------|------------------|
| 09/537,786  | 03/29/2000  | Masatsugu Fujii      | FUJX17,182           | 7367             |
| 26304   | 7590        | 07/14/2004           | EXAMINER             |                  |
| KATTEN MUCHIN ZAVIS ROSENMAN<br>575 MADISON AVENUE<br>NEW YORK, NY 10022-2585 |             |                      | CHOW, CHARLES CHIANG |                  |
|   |             |                      | ART UNIT             | PAPER NUMBER     |
|   |             |                      | 2685                 | 11               |

DATE MAILED: 07/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

**Application No.**

09/537,786

**Applicant(s)**

FUJII, MASATSUGU

**Examiner**

Charles Chow

**Art Unit**

2685

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 28 April 2004.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

**Office Action for Amendment  
Received on 4/28/2004**

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

1. Claims 1, 2, 8, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Titchener (US 4,670,890) in view of Kawazoe et al. (US 5,327,441).

Regarding **claim 1**, Titchener teaches a coding assisting equipment (as the apparatus and method for encoding and decoding codes, abstract, figure in cover page, Fig. 1-10, for transmitting variable length coded string of data, abstract, and for enabling easy synchronization for decoding, col. 1, lines 7-14; summary of invention, col. 1, line 56 to col. 3, line 31).

Titchener teaches the operating-object holding means for sequentially holding each word respectively consisting of plural bits (as the (c) buffer means for buffering each selected input code sequentially in turn, col. 45, lines 12-13).

Titchener teaches the constant word length (as the (a) an input buffer means for receiving each fixed length symbol to be converted to variable length symbols wherein the length of the fixed length code is  $m+1$  (col. 46, lines 40-43).

Titchener teaches the argument holding means for holding an argument applied to an

Art Unit: 2685

operation that is performed on a word that is subsequently held by operating-object holding means (as the augment code buffer 33 applied to prefixing coding operating, figure in cover page; the augment code buffer 22 holds the incoming augment code from the input code 29 set, as the claimed operating-object holding means, as shown in figure in cover page; the original character set  $C^0$  is augmented 9 times until  $C^q$  is exhausted, abstract, col. 41, lines 11-67).

Titchener teaches the that is included in said word being held by operating-object holding means and/or the result performed in advanced being held by operation-object holding means (the input code set 29 is holding the augment code result performed in advanced before receiving the next output code set on input 36 to be operated with the input 26, base set, figure in cover page, col. 41, lines 28-38).

Titchener teaches the holding an argument for an operation that is performed on a word that is subsequently held by the operating-object holding means, and the argument being include in said word being held by said operating object holding means and/or results of an operation performed in advance on the word being held by said operation-object means, the augmented code for generating variable length code by holding input code in the 29 (the inputting source code into memory means col. 47, lines 20-22, abstract, Fig. 6b, Fig. 8) for the objection for logic operation, and the subsequent augment codes,  $C^1 \dots C^{q-1}$ , coming from output code set 35 (Fig. 6b) to applying code augmentation at 29 with input base set 28 (Fig. 6b) for the argument being applied to the subsequent operation. Titchener teaches the word is added a bit fed sequentially by monitoring and augmenting each bit to word  $C^0$  to  $C^q$  (col. 40, lines 25-35), and augmented binary codes (col. 9, line 55 to col. 10, line 25).

Titchener does not clearly teach the logical operation on a combination of logic values.

Regarding the logic operation on to be performed on a combination of logic values and the convolutional encoding, Kawazoe et al. ("Kawazoe") teaches the simple convolutional encoder and decoder of arbitrary length with arbitrary coding rate (col. 3, 40-43, col. 3, lines 40-68; col. 13, lines 20-53). Kawazoe teaches the logic operation to be performed on combination logic value for the convolutional encoder (as shown in Fig. 4-5, col. 4, line 46 to col. 7, line 59). Kawazoe teaches the convolutional decoder with logic operation and combination logic value (as shown in Fig. 12, col. 4, lines 33-36). Kawazoe teaches an efficient convolutional encoder/decoder, such that the encoder/decoder can be simpler (col. 3, lines 26-43). Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify and include Titchener and to include Kawazoe's logic operation and combination logic for the convolutional encoder/decoder, such that the digital processing could be efficient on encoding and decoding.

Regarding **claim 2**, Titchener teaches a decoding assisting equipment (as the apparatus and method for encoding and decoding codes, abstract, figure in cover page, Fig. 1-10, for transmitting variable length coded string of data, abstract, and for enabling easy synchronization for decoding, col. 1, lines 7-14; summary of invention, col. 1, line 56 to col. 3, line 31). Titchener teaches the operating-object holding means for sequentially holding each word respectively consisting of plural bits (as the (c) buffer means for buffering each selected input code sequentially in turn, col. 45, lines 12-13). Titchener teaches the constant word length (as the (a) an input buffer means for receiving each fixed length symbol to be

Art Unit: 2685

converted to variable length symbols wherein the length of the fixed length code is  $m+1$  (col. 46, lines 40-43). Titchener teaches the argument holding means for holding an argument applied to an operation that is performed on a word that is subsequently held by operating-object holding means (as the augment code buffer 33 applied to prefixing coding operating, figure in cover page; the augment code buffer 22 holds the incoming augment code from the input code 29 set, as the claimed operating-object holding means, as shown in figure in cover page; the original character set  $C^0$  is augmented 9 times until  $C^9$  is exhausted, abstract, col. 41, lines 11-67). Titchener teaches the that is included in said word being held by operating-object holding means and/or the result performed in advanced being held by operation-object holding means (the input code set 29 is holding the augment code result performed in advanced before receiving the next output code set on input 36 to be operated with the input 26, base set, figure in cover page, col. 41, lines 28-38).

Titchener teaches the holding an argument for an operation that is performed on a word that is subsequently held by the operating-object holding means, and the argument being include in said word being held by said operating object holding means and/or results of an operation performed in advance on the word being held by said operation-object means, the augmented code for generating variable length code by holding input code in the 29 (the inputting source code into memory means col. 47, lines 20-22, abstract, Fig. 6b, Fig. 8) for the objection for logic operation, and the subsequent augment codes,  $C^1 \dots C^{q-1}$ , coming from output code set 35 (Fig. 6b) to applying code augmentation at 29 with input base set 28 (Fig. 6b) for the argument being applied to the subsequent operation. Titchener teaches the word is added a bit fed sequentially by monitoring and augmenting each bit to word  $C^0$  to  $C^q$  (col. 40, lines

Art Unit: 2685

25-35), and augmented binary codes (col. 9, line 55 to col. 10, line 25).

Titchener does not clearly teach the logical operation on a combination of logic values.

Regarding the logic operation on to be performed on a combination of logic values and

the convolutional encoding, Kawazoe et al. ("Kawazoe") teaches the simple convolutional

encoder and decoder of arbitrary length with arbitrary coding rate (col. 3, 40-43, col. 3, lines

40-68; col. 13, lines 20-53). Kawazoe teaches the logic operation to be performed on

combination logic value for the convolutional encoder (as shown in Fig. 4-5, col. 4, line 46 to

col. 7, line 59). Kawazoe teaches the convolutional decoder with logic operation and

combination logic value (as shown in Fig. 12, col. 4, lines 33-36). Kawazoe teaches an

efficient convolutional encoder/decoder, such that the encoder/decoder can be simpler (col. 3,

lines 26-43). Therefore, it would have been obvious to one of ordinary

skill in the art at the time of invention to modify and include Titchener and to include

Kawazoe's logic operation and combination logic for the convolutional encoder/decoder,

such that the digital processing could be efficient on encoding and decoding.

Regarding **claim 8**, Titchener has taught above the sequential operation for adjusting

augmented code for generating variable augmented codes.

Regarding **claim 13**, Titchener teaches the decoding assisting equipment above, the word

length adjusting means for converting the result to target amount of codes; the operation

means into a sequence of constant fixed length for sequentially supplying to a subsequent

predetermined operation means.

Art Unit: 2685

2. Claims 3, 4, 6, 7, 9, 11, 12, 14 rejected under 35 U.S.C. 103(a) as being unpatentable over Titchener in view of Kawazoe, as applied to claims 1, 2 above, and further in view of Lan et al. (US 5,787,099).

Titchener and Kawazoe do not clearly teach the highest term in the polynomial is smaller than or equal to said word length.

Regarding **claim 3**, Lan teaches the system and method for encoding and decoding data using numerical computation in Galois fields (title). The integrated circuits and combinational logic (figure in cover page, Fig. 1-20b) contains the encoder/decoder 101 and holding register 105, for using multiplies to detect/correct errors in certain position (abstract). Lan considers the highest term in a polynomial is smaller than said word length, as to be the: for each code word ( $n$  symbol positions,  $k$  data positions), the check symbols are the coefficients of the remainder polynomial generated by dividing the polynomial of  $(n-1)$  order by the polynomial of order  $(n-k)$ , such that the check symbols from the remainder could fit into  $(n-k-1)$  positions of the  $n$  symbols coded word (in col. 1, lines 44-63), such that the check symbols would fill up the remaining positions in each code with  $n$  symbol positions and  $k$  data positions. Lan teaches the technique for coding the symbols with check symbol without exceeding the maximum available  $n$  symbol positions, such that, at least the encoder/decoder could be upgraded and supplying the check symbols for error correction without exceeding maximum available  $n$  symbol positions. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to modify Titchener, and to include Lan's technique for coding the symbols with check symbol without exceeding the maximum available  $n$  symbol

Art Unit: 2685

positions, such that, at least the encoder/decoder could be upgraded and supplying the check symbols for error correction without exceeding maximum available  $n$  symbol positions.

Regarding the operating-object holding means fed with pieces of transmission information divided into constant fixed length symbols, referring to examiner's comment in claim 1 above.

Regarding **claim 4**, referring to examiner's comment in claims 1-3 above for the decoding assistant equipment said operating-object holding means receives fixed length symbols; and the for each code word ( $n$  symbol positions,  $k$  data positions), the check symbols are the coefficients of the remainder polynomial generated by dividing the polynomial of  $(n-1)$  order by the polynomial of order  $(n-k)$ , such that the check symbols from the remainder could fit into  $(n-k-1)$  positions of the  $n$  symbols coded word (in col. 1, lines 44-63), such that the check symbols would fill up the remaining positions in each code with  $n$  symbol positions and  $k$  data positions. Regarding the operating-object. holding means fed with pieces of transmission information divided into constant fixed length symbols, referring to claim 1 above.

Regarding **claim 6**, Titchener has taught above the adding bit at the end of code word at each level of augment, and the prefixing processing for adding bit before the most significant bit, for generating augmented variable length code.

Regarding **claim 7**, Titchener teaches the invalid bit string, the block code contains some redundancy (col. 12, lines 55-61), the adding redundancy in other coding scheme for correct synchronization (col. 22, lines 44-57).

Art Unit: 2685

Regarding **claims 9, 11**, Titchener has taught above in claim 1 for the decoding assisting equipment above, the word length adjusting means for converting the result to target amount of codes; the operation means into a sequence of constant fixed length for sequentially supplying to a subsequent predetermined operation means.

Regarding **claim 12**, Titchener has taught above in claim 1 for the decoding assisting equipment above, the word length adjusting means for converting the result to target amount of codes; the operation means into a sequence of constant fixed length for sequentially supplying to a subsequent predetermined operation means.

Regarding **claim 14** Titchener teaches the decoding assisting equipment above, the word length adjusting means for converting the result to target amount of codes; the operation means into a sequence of constant fixed length for sequentially supplying to a subsequent predetermined operation means.

3. Claims 5, 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Titchener in view of Kawazoe, as applied to claim 1 above, and further in view of Kindred et al. (US 5,710,784).

Titchener and Kawazoe do not clearly teach the tree codes and the constraint of shorter word length.

Regarding **claim 5**, Kindred teaches the viterbi decoder for CDMA system (title, abstract, figure in cover page), comprising the rf interface receiver 24, the demodulator 26, the interleaver 32. The decoder, with input/output buffer, could simultaneously decoding at multiple packet data rate, creating quality metric. The decoder could be reconfigured for

Art Unit: 2685

different convolutional encoding algorithms (abstract, Fig. 5, col. 1, lines 21-25). Kindred considers the tree code has the length constraint  $k$  in col. 9, lines 35-47, for reducing the number of global sequences and selecting the best local path for generating the convolutional codes. Kindred considers the tree code with length constraint  $k$  such that the best path for generating the code from the tree structured codes. It is apparently obvious to include Kindred's technique for selecting the proper sequence and best path for generating the convolutional tree codes, to Titchener, such that the system could be upgraded for efficiently generating the tree code by utilizing Kindred's technique. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention, essentially if not obvious, to modify and include Kindred's technique for selecting the proper sequence and best path for generating the convolutional tree codes, to Titchener as modified above, such that the system could be upgraded for efficiently generating the tree code by utilizing Kindred's technique. Regarding the operating-obj. holding means fed with pieces of transmission information divided into constant fixed length symbols, referring to claim 1 above. Regarding **claim 10**, Titchener has taught above in claim 1 for the decoding assisting equipment above, the word length adjusting means for converting the result to target amount of codes; the operation means into a sequence of constant fixed length for sequentially supplying to a subsequent predetermined operation means.

6. Claim 15, 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Titchener in view of Kawazoe, and further in view of Astrachan (US 5,612,974).

Art Unit: 2685

Regarding **claim 15**, Titchener and Kawazoe has taught above all other claimed features, except the radio transmitter, the radio receiver, the wireless interface, the encoder/decoder. However, Astrachan teaches the single integrated circuit for performing multitude of communication tasks (col. 1, lines 7-11) having radio transmitter and receiver for the communication unit 10. The communication unit 10 contains the RF interface for transmitting and receiving signals via antenna 14 for the wireless interface to the TDMA, CDMA network, col. 4, lines 61-65). The communication 10 comprises rf interface 16, demodulator 18, block decode 202 (Fig. 5). The communication device 10, comprises the block encoder 228, the encoded stream 146, the modulator 34 (Fig. 6). Astrachan teaches the communication unit 10 comprising the block encoder/decoder for rf communication with the wireless, TDMA, CDMA networks, to Titchener, such that the message or information could be obviously transmitted and received via the rf communication channels. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention, essentially if not obvious, to modify and include Astrachan's communication unit 10 comprising the block encoder/decoder for rf communication with the wireless, TDMA, CDMA networks, to Titchener as modified above, such that the message or information could be obviously transmitted and received via the rf communication channels.

Regarding **claim 16**, Titchener and Kawazoe has taught above all other claimed features, except the radio transmitter, the radio receiver, the wireless interface, the encoder/decoder. Astrachan has taught above the radio receiver; the wireless interface; the operating-object holding means; the argument holding means; the operation means and the combination of said logic values.

***Response to Argument***

7. Applicant's arguments filed 4/28/2004 have been fully considered but they are not persuasive.

Regarding applicant's argument for the no teachings for the operation is performed on a word that is subsequently held by said operation object holding means, and divided into constant word length (applicant's remark, page 9, first paragraph), the performing operation in accordance with logical values of individual bits in the word being held (applicant's remark, page 11 first paragraph),

Tichener teaches sequentially holding of incoming base set  $C^0$  in the input code means 29 (input code set 29 provides a means for receiving original code set, col. 41, lines 41-45), for the dividing input word into constant the word length of  $n$  bits (abstract), the prefixing processor for process augmented code for  $q$  times (col. 41, lines 55-67, Fig. 6b). Beside, applicant's independent claims 1-2, 15-16 do not clearly define the constant word length for output word, instead of "holding each word respectively consisting of plural bits of transmission information, and divided into constant word lengths". It is not clear whether the output word, after operation, is having constant word length.

Tichener teaches the sequential reviewing each remaining bits beyond the least significant bit in the order of significance, and comparing each sequential bit with pre-selected bit for selecting predefined prefix code for each match found (col. 46, lines 44-63; col. 40, lines 25-35), for the performing operation in accordance with logical values of individual bits held in the base set  $C^0$ .

Art Unit: 2685

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

***Conclusion***

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Chow whose telephone number is (703)-306-5615.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (703)-305-4385.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to: (703) 872-9306 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive,  
Arlington, VA, Sixth Floor (Receptionist).

Art Unit: 2685

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

Charles Chow

July 12, 2004.

*Quochien B. Vuong* 7/12/04

**QUOCHIEN B. VUONG  
PRIMARY EXAMINER**